


Date: 06/13/2008

NO.:

<b>Customer</b>	Sweden Direktronik	<b>RoHS</b>	Yes
<b>Product Name</b>	Designated Power Distribution Unit for Cabinet	<b>Customer's Code</b>	
<b>Part Number</b>	16-8220	<b>Picture Code</b>	
<b>No.</b>	<b>Item</b>	<b>Detailed Description</b>	
1	Product Series		
2	Socket Type	DIN49440 16A Socket[18];	
3	Socket Quantity	18	
4	Power Input	Left end single input	
5	Bracket Install	Inverse installation	
6	Cable with plug	DIN49441 16A plug	
7	Control Function	No controlling function	
8	Protection Function	No protecting function	
9	Case	Black	
10	Cable Specification	3 x 1.5 mm <sup>2</sup> x 2M	
11	Product Size	L x W x H = 902 x 68 x 44.4 mm	
12	Mounting Length	875.5 mm	
13	Case Length	849 mm	
14	Fittings	2pcs $\phi 6 \times 16$ mm cross bolt, 2pcs M6 float nut	
15	Product Label	Product Name	Designated Power Distribution Unit for Cabinet
		Specification Model	16-8220
		Rating voltage	250VAC 50/60Hz
		Rating Current	16A
		Max. Current	
		Max. Power	4000 W
		Safety Authentication	CE
		Logo	RoHS
	Producer		
<b>No.</b>	<b>Add-In</b>		
1	Socket assemble	No	
2	Interior Connection Wire	1.5 mm <sup>2</sup>	
3	Interior Connection Style	Standard connection	
4	Fix the Cable	Small cable clamp	
5	Module Assemble ( form left to right )	Please see the following picture	
6	Others	No	
<b>Made by:</b> Peter		<b>Customer confirm:</b>	<b>Check:</b>
			<b>Authorize:</b>

This technology specification is for: design product for customer and confirm customer's requirements, and is also the basic gist for arranging production.

Preview



DIN49441 16A plug

**DIREKTRONIK**

Direktronik AB tel. 08-52 400 700 [www.direktronik.se](http://www.direktronik.se)

DIMENSION AND TOLERANCES (Unit: mm)			Direktronik AB		
Length:	902	Mounting length:	875.5	Customer	Sweden Direktronik
Width:	68	Case length:	849	Product name	Designated Power Distribution Unit for Cabinet
Height:	44.4	case tolerance:	± 1.0	Part number	16-8220
DRAWN	Peter	SIGN	06/13/2008	DATE	Customer's code
CHK'D					Drawing number
APP'D					Edition number

Date: 06/13/2008

NO.: