

# Low Profile PCI

## 24-0345 Dual Parallel

**Most advantage for VAR channel, System Integrate channel, OEM solution.**

### Specification

- Port type: Dual ECP/EPP parallel port with fan-out cable
- OS supports:
  - DOS/Windows 3.1x, Windows 95/98/98SE/NT and Windows ME / 2000
  - Linux-based software
- Support data transfer rates up to 2 MB/sec
- Interrupt : IRQ sharing
- Supports EPP/ECP (PIO mode), Bi-directional Parallel Port (BPP), and Standard Parallel Port (SPP) modes
- Conforms to IEEE 1284 parallel port standard
- Compliant to " Low Profile PCI Card Standard Version 1.0"
- Compliant to PCI 2.1 and PCI 2.2 specification.
- Slot type: 32 bit PCI bus (Low Profile MD1)
- Board Dimension: H: 64.41mm \* W: 120mm
- Bracket Length: 79.2mm
- Regulatory Approvals: FCC Class B & CE
- Version: V1.0

### Features

- The Low Profile PCI Dual Parallel card with fan-out cable offers a new mechanical standard based on the current PCI Local Bus Specification Revision 2.2. Low Profile PCI Card will have the same signal protocol, electrical definitions, and configuration definitions as standard PCI cards.
- The Low Profile PCI Card can when be installed directly to the motherboard without the use of riser cards. ATX, micro ATX, and Flex ATX form factors can take advantage of these short height cards and allow low profile desktop system designs while still offering upgradeability and expandability in the system.
- The need of low profile desktop and server designs continues as space in the home and office environment diminishes. The smaller size also allows for ease of handling, shipping, and storage.
- Full support for DOS-based, Windows-based and Linux-based software
- Designed for adding second parallel port device such as a color printer, zip /SparQ drive, CD-R/RW drive or scanner.
- IRQ sharing feature eliminates IRQ conflicts
- Jumperless installation