



PCI 1 parallel 2 serial

24-0417 / 24-0418

Specification

- Port type 1: two 9-pin serial ports
 - 24-0417 - 16650 UART with 32-byte transmit/receive FIFO buffers
 - 24-0418 - 16850 UART with 128-byte transmit/receive FIFO buffers
- Port type 2:
 - IEEE 1284-1994 One DB25 parallel port
- Type slot:
 - 32-bit PCI bus
- OS support:
 - DOS/Windows 3.1x, Windows 95/ 98/ 98SE/ ME , Windows NT 4.0 and Windows 2000
 - Linux-based software
- Regulatory approvals: FCC Class B & CE
- Version: v2.0

Features & Benefits

- Conforms to PCI v2.1 Plug and Play
- Improves I/O access speed up to 8 times faster than existing ISA-bus I/O ports. Reduces CPU load and increases system performance dramatically
- Two high-speed 16550/16650/16850 UART serial ports (9-pin) support baud rates up to 920Kbps. Works with 56K external modems and ISDN terminal adapters and other high-speed serial port devices
- Built-in 16/32/128-byte FIFO buffers dramatically increase data transmit/receive speed, especially under Windows multitasking environment
- Parallel port supports data transfer rates up to 2MB/sec
- Single high-speed ECP/EPP parallel port supports all types of parallel port devices including iomega / SyQuest removable cartridge drives, CD-R/RWs, printers, SuperDisk LS-120 drives, scanners, tape drives and other parallel port devices
- Supports EPP/ECP (PIO), Bi-directional Parallel Port (BPP) and Standard Parallel Port (SPP) modes
- Solves PCI slot expansion limits and adds fast PCI I/O interface to your system