




**MQS**

TE Internal #: 967067-1

Single Wire Seal (SWS), 3.6 mm [.142 in] Cavity Diameter, -40 – 130 °C [-40 – 266 °F], Green, Silicone, 1.4 mm [.055 in] Insulation Diameter

[View on TE.com >](#)

Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Single Wire Seal (SWS)**

Cavity Diameter: **3.6 mm [.142 in]**

Operating Temperature Range: **-40 – 130 °C [-40 – 266 °F]**

Primary Product Color: **Green**

Primary Product Material: **Silicone**

**Features**

**Product Type Features**

Connector Seal & Plug Type	Single Wire Seal (SWS)
----------------------------	------------------------

**Body Features**

Primary Product Color	Green
Primary Product Material	Silicone

**Dimensions**

Cavity Diameter	3.6 mm [.142 in]
Compatible Insulation Diameter Range	1.4 mm [.055 in]

**Usage Conditions**

Operating Temperature Range	-40 – 130 °C [-40 – 266 °F]
Operating Temperature (Max)	130 °C [266 °F]

**Other**

Resistance to Hydrocarbons	Poor
Shore A Hardness	50
Contains Lubricant	Yes

**Product Compliance**

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------



EU ELV Directive 2000/53/EC

Compliant

China RoHS 2 Directive MIIT Order No 32, 2016

有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2025 (250)  
Candidate List Declared Against: JUNE 2025 (250)  
Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free


Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts




TE Part # 2389823-1  
HM-EPB cable for GWM J01 at Mind



TE Part # 2177786-3  
5POS, MIXED,HSG, IEC62196-2 TYPE 2,Top




TE Part # 2388216-1  
18POS,MCON 1.2,REC HSG ASSY,SLD, COD A



TE Part # 2209867-1  
GM D2XX PAB cable assembly



TE Part # 2098559-8  
6POS, MCON 1.2 CB REC 2p TL SEALED



TE Part # 2421416-1  
GWM B16 PHEV EPB CABLE



TE Part # 2382981-1  
12POS,MCON 1.2,REC HSG ASSY,SLD, COD A



TE Part # 2395540-1  
GB/T AC,CHARGE INLET ASSY COD A




TE Part # 2332470-1  
4POS,MCON 9.5,REC HSG ASSY,SLD, COD 1



TE Part # 2151477-2  
OCEAN\_2.0\_APPLICATOR-S-055F125F-RSA



TE Part # 2177786-2  
7POS, MIXED,HSG, IEC62196-2 TYPE 2,BK



TE Part # CAT-N14-NMRHS1223  
NextGen Plus MCON 1.2, 1-row, 2-8 POS REC HSG, Sealed, Sustainable



TE Part # 1-1718643-4  
2POS, MCON 1.2 LL REC SEALED



TE Part # 1-1563864-1  
12POS,MCON-1.2,REC HSG,ASSY



TE Part # 2-2236896-1  
2POS, MCON 1.2 LL REC SEALED



TE Part # 2177786-7  
5POS, MIXED,HSG, IEC62196-2 TYPE 2,right



TE Part # 4-2098557-2  
2P,FML,1.2,CB,MCON,T4,STD,KEYB,w /LgCPA



TE Part # 3-2236896-1  
2POS, MCON 1.2 LL REC SEALED



TE Part # 2-2236898-5  
5POS, MCON 1.2 LL REC SEALED



TE Part # 2-2236953-5  
3POS, MCON 1.2 LL TAB SEALED COD B

### Customers Also Bought




TE Part #5-965906-1  
MQS0,63 Sn rec LL EDS 0,5-0,75




TE Part #CAT-N13-MSLRTT12  
MCON 1.2 Locking Lance Receptacle and Tab Terminals




TE Part #7-1452668-3  
MCON 1.2 LL REC SWS AG



TE Part #2209387-2  
BYD 6DT35 CABLE ASSY



TE Part #2497871-1  
PDU ASSY,PLUG HOUSING ASSEMBLY




TE Part #2497881-1  
PDU ASSY,AL BAR COVER SEAL



TE Part #2497886-1  
PDU ASSY,COPPER RING



TE Part #2497888-1  
PDU ASSY,AL BAR COVER



## Documents

### Product Drawings

#### MQS SGL WIRE SEAL

English

#### MQS SGL WIRE SEAL

English

### CAD Files

#### 3D PDF

3D

#### Customer View Model

##### ENG\_CVM\_CVM\_967067-1\_A.2d\_dxf.zip

English

#### Customer View Model

##### ENG\_CVM\_CVM\_967067-1\_A.3d\_igs.zip

English

#### Customer View Model

##### ENG\_CVM\_CVM\_967067-1\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Product Specifications

#### Application Specification

German

#### Application Specification

English

#### Application Specification

English

### Instruction Sheets

#### 060/187 Plug Assy 26Pos. Slide-Type

Japanese

#### Instruction Sheet (U.S.)

Japanese

#### Instruction Sheet (U.S.)

English

967067-1

Single Wire Seal (SWS), 3.6 mm [.142 in] Cavity Diameter, -40 – 130 °C [-40 – 266 °F],  
Green, Silicone, 1.4 mm [.055 in] Insulation Diameter

